

B.Tech III Year I Semester (R15) Supplementary Examinations June 2018  
**GEOTECHNICAL ENGINEERING – I**  
 (Civil Engineering)

Time: 3 hours

Max. Marks: 70

**PART – A**  
 (Compulsory Question)

\*\*\*\*\*

- 1 Answer the following: (10 X 02 = 20 Marks)
- Draw the three phase diagram for soil system and two phase diagram for saturated soil.
  - Explain the significance of a grain size distribution curve.
  - Write the expression of permeability in stratified soils when the flow is parallel and perpendicular to stratification.
  - What are the uses of flow nets?
  - Give the limitations of Boussinesq theory of stresses.
  - Calculate compaction energy used in standard proctor test and modified proctor test.
  - What is over consolidation ratio? Explain briefly with an example.
  - Differentiate between primary consolidation and secondary consolidation.
  - Explain the Mohr-Coulomb theory for shear strength of soils.
  - Classify the shear tests based on drainage conditions.

**PART – B**  
 (Answer all five units, 5 X 10 = 50 Marks)

**UNIT – I**

- 2 (a) List the common clay minerals in soil and explain any one in detail.  
 (b) The bulk unit weight of soil is  $21 \text{ kN/m}^3$ . The water content is 15% and specific gravity of solids is 2.7. Determine dry unit weight, void ratio, porosity and degree of saturation.

OR

- 3 A liquid limit test was conducted on a soil sample whose natural water content is 28%, plastic limit is 21% and following results were obtained:

Number of blows	10	19	23	27	40
Water content (%)	60	45.2	39.8	37	25


- Draw the flow curve and determine: (i) Liquid limit. (ii) Liquidity index. (iii) Consistency index. (iv) Void ratio at liquid limit, if  $G = 2.7$ .

**UNIT – II**

- 4 (a) What are the assumptions of Darcy's law?  
 (b) A sand sample of  $35 \text{ cm}^2$  cross sectional area and 20 cm long was tested in a constant head permeameter. Under a head of 60 cm, the discharge was 120 ml in 6 min. The dry weight of sand used for the test was 1120 g, and  $G_s = 2.68$ . Determine; (i) the hydraulic conductivity in cm/sec, (ii) the discharge velocity; and (iii) the seepage velocity.

OR

- 5 Calculate and draw the total, effective and pore water pressure distribution for a soil profile with properties as shown in figure below. Assume  $G = 2.7$ .



**UNIT – III**

6 The following data were obtained from standard proctor compaction test:

Water content (%)	8.3	10.5	11.3	13.4	13.8
Bulk unit weight ( $\text{kN/m}^3$ )	19.80	21.30	21.6	21.20	19.80

- (i) Plot the compaction curve and determine MDD and OMC.  
 (ii) Also draw ZAV line if  $G = 2.65$ .

**OR**

7 Construct a Newmark's chart having influence factor of 0.005 and explain the use of Newmark's chart to find vertical pressure at a point.

**UNIT – IV**

- 8 (a) Explain Casagrande's method of determining pre-consolidation pressure.  
 (b) Explain square root of time fitting method of determination of co-efficient of consolidation.

**OR**

- 9 Saturated soil of 5 m thick lies above impervious stratum and below pervious stratum. It has a compression index of 0.25 with  $k = 3.2 \times 10^{-10}$  m/sec. Its void ratio at a stress of  $150 \text{ kN/m}^2$  is 1.9. Compute: (i) The change in voids ratio due to increase of stress to  $200 \text{ kN/m}^2$ .  
 (ii) Coefficient of volume compressibility.  
 (iii) Coefficient of consolidation.  
 (iv) Time required for 50% consolidation.

**UNIT – V**

10 The stresses on a failure plane in a drained test on a cohesionless soil are as under:

$$\text{Normal stress } (\sigma) = 100 \text{ kN/m}^2$$

$$\text{Shear stress } (\tau) = 40 \text{ kN/m}^2$$

Determine: (i) Shear strength parameters. (ii) Major and minor principle stresses. (iii) Direction of major and minor principle planes.

**OR**

11 Explain Coulomb's equation for shear strength of a soil. Discuss the factors that affect the shear strength parameters of soil.

\*\*\*\*\*