

7021

BOARD DIPLOMA EXAMINATION, (C-20)

OCTOBER / NOVEMBER—2023

DCE - FIRST YEAR EXAMINATION

ENGINEERING MECHANICS

Time: 3 Hours [Total Marks: 80

PART—A

 $3 \times 10 = 30$

Instructions: (1) Answer **all** questions.

- (2) Each question carries **three** marks.
- (3) Answers should be brief and straight to the point and shall not exceed five simple sentences.
- 1. State the fundamental quantities and their units in S.I.system.
- **2.** Define force and state the characteristics of force.
- **3.** Define (a) Moment of a force (b) Coplanar force and (c) Like parallel forces.
- **4.** Locate the centroid of an angle section 150×150×20 mm.
- **5.** Calculate I_{xx} and I_{yy} of a hollow rectangular section 200×300 mm and thickness 15 mm.
- **6.** Define: (a) Malleability (b) Hardness and (c) Ductility.
- **7.** A bar of 8 mm dia, 1·2 m long is subjected to an axial pull. If the change in length is 3 mm and change in diameter is 0·005 mm, find Poisson's ratio.
- **8.** A bar of 5m long is subjected to a rise in temperature of 50°C. If E = 210G Pa and $\alpha = 12 \times 10^{-6}$ /°C, find the expansion of the bar and stress in the bar if expansion is prevented.

/7021 1 [Contd...

- 9. Define: (a) Shear force
 - (b) Bending moment
 - (c) Point of Contraflexture.
- **10.** A simply supported beam of span 3m is carrying a UDL of 4kN/m over entire span. Draw SFD and BMD and indicate the values.

PART—B 8×5=40

Instructions: (1) Answer either (a) or (b) from each questions.

- (2) Each question carries eight marks.
- (3) Answers should be comprehensive and criterion for valuation is the content but not the length of the answer.
- **11.** *(a)* Find the magnitude and direction of resultant of the following system of concurrent forces :

Forces: 20kN due North


18kN acting at 30° West of North

12kN due SW

15kN due S 60° E


(OR)

- (b) A wheel has 5 spokes which are equispaced. The forces acting in 3 consecutive spokes are 25 kN, 30 kN and 20 kN. Find the forces in other two spokes if the wheel is in equilibrium.
- **12.** (a) Locate the centroid of the following section.




/7021 2 [Contd...

(b) A semicircular part is removed from a trapezium as shown in Fig-1. Locate the centroid of the remaining area (hatched area).




13. (a) Calculate I_{xx} and I_{yy} for the following section.



(OR)

(b) Two ILSC300 sections are placed back to back at a clear distance of 100 mm. They are connected by a cover plate of 300×20 mm, one at top and one at bottom. Find I_{xx} and I_{yy} of the built up section. Properties of ISLC300 are Area = 4210 mm^2 , $I_{xx} = 6.05 \times 10^7 \text{mm}^4$, $I_{yy} = 3.46 \times 10^6 \text{mm}^4$, $C_{yy} = 25.5 \text{ mm}$ and Flange width = 100 mm.

14. (a) A steel bar 1.8 m long is acted upon by forces as shown in fig-2. Find the elongation of the bar. $E = 2 \times 10^5 \text{ N/mm}^2$.



- (b) A mild steel flat 150 mm wide \times 20 mm thick and 6m long is subjected to an axial pull of 300 kN. If E = 200 kN/mm² and Poisson's ratio is 0.26, calculate the change in length, width, thickness and volume of the flat. Also calculate bulk modulus for the material.
- **15.** (a) A cantilever beam of span 5m carries a UDL of 3kN/m over a length of 2m starting from the free end. It also supports two point loads 4 kN and 5 kN at 1 m and 3 m from fixed end. Draw SFD and BMD.

(OR)

(b) A simply supported beam 8m span carries a point load 4kN each at 2 m from left support and 2m from right support. It also carries a UDL of 2kN/m between the point loads. Draw SFD and BMD and calculate max B.M. for the beam.

PART—C $10 \times 1 = 10$

Instructions: (1) Answer the following question.

- (2) The question carries ten marks.
- (3) Answer should be comprehensive and the criterion for valuation is the content but not the length of the answer.
- **16.** A body of weight W falls through a height of 19 mm onto a collar rigidly attached to a vertical bar 2.5 m long and 20mm \times 30 mm cross-section. If the instantaneous elongation in the bar is 2mm, determine the value of W.What is the strain energy stored in the bar. Take E = 200 GPa.

/7021 AA23(048)–PDF