

[5353]-181

T.E. (Computer) (Semester - I)
THEORY OF COMPUTATION
(2012 Pattern)



Time : 2½ Hours]

[Max. Marks : 70

Instructions to the candidates:

- 1) Neat diagrams must be drawn wherever necessary.
- 2) Attempt Q.1 or Q.2, Q.3 or Q.4, Q.5 or Q.6, Q.7 or Q.8.
- 3) Figures to the right indicate full marks.
- 4) Assume suitable data if necessary.

Q1) a) Find the regular expression for the DFA shown in the fig A and fig B. [6]




b) Define pumping Lemma. [6]

Show that the language given is not regular $L = \{ww^R | w \in \{a,b\}^*\}$

c) Define deterministic finite automata. [8]

Find the equivalent DFA for ϵ - NFA given in fig C.



P.T.O

OR

Q2) a) Define equivalence relation [6]

Whether the relation $R = \{(x, y) \rightarrow N \mid x \leq y\}$ is equivalence relation.

b) Define regular expression. [6]

Construct the context free grammar corresponding to regular expression

$$R = (0 + 1) 1^* (1 + (01)^*)$$

c) Convert the given grammar to equivalent CNF [8]

$$S \rightarrow PQP$$

$$P \rightarrow OP \mid \epsilon$$

$$Q \rightarrow 1Q \mid \epsilon$$

Q3) a) Define : Language accepted by Turing Machine Design the turing machine for checking well formedness of parenthesis. [10]

b) Write short notes on (any two): [8]

i) Universal Turing Machine

ii) Unelecidability

iii) Church Turing Machine

OR

Q4) a) What is Turing Machine? [10]

Design the turing machine which accepts set of all palindromes over $\{0,1\}$. Use ID representation to show acceptance of $w = 10101$.

b) What is Post Machine? Give the formal definition. Construct a post machine accepting a string for language a's & b's. [8]

Q5) a) Define Push Down Automata. [8]

Construct PDA that accepts

$$L = \{a^i b^j c^k \mid i, j, k \geq 0 \ \& \ i + j = k\} \text{ throu final state.}$$

- b) Obtain CFG for the PDA given below [8]

$P = (\{q_0, q_1\}, \{a, b\}, \{a, b, z_0\}, \delta, q_0, z_0, \phi)$ where δ is

$$\delta(q_0, a, z_0) = \{(q_0, az_0)\} \quad \delta(q_1, b, a) = (q_1, \epsilon)$$

$$\delta(q_0, a, a) = \{(q_0, aa)\} \quad \delta(q_1, \epsilon, z_0) = (q_1, \epsilon)$$

$$\delta(q_0, b, a) = \{(q_1, \epsilon)\}$$

OR

- Q6)** a) Define [8]

- i) Non Deterministic Pushdown Automata (NIPDA)
- ii) Instantaneous Description of PDA with suitable example.
- iii) Language Acceptance by different ways

- b) Construct PDA equivalent to following CFG [8]

$$S \rightarrow OBB$$

$$B \rightarrow 0S|1S|0$$

Test if 010^4 is in language

- Q7)** a) What is SAT problem? Explain in detail. [8]

- b) Elaborate on Tractable and Intractable problems. [8]

OR

- Q8)** a) Explain with suitable example - Node cover problem. [8]

- b) Why do we need to reduce existing problem to NP complete problem, explain with example. [8]

